

Broad Spectrum CBD Distillate

Batch ID:	0123	Test ID:	7197630.0019
Reported:	25-Mar-2020	Method:	TM17
Type:	Concentrate		
Test:	Pesticides		


PESTICIDE RESIDUE


Compound	Dynamic Range (ppb)	Result (ppb)	Compound	Dynamic Range (ppb)	Result (ppb)
Acephate	54 - 2478	ND*	Malathion	321 - 2478	ND*
Acetamiprid	54 - 2478	ND*	Metalaxyl	54 - 2478	ND*
Abamectin	>321	ND*	Methiocarb	54 - 2478	ND*
Azoxystrobin	54 - 2478	ND*	Methomyl	54 - 2478	ND*
Bifenazate	54 - 2478	ND*	MGK 264 1	321 - 2478	ND*
Boscalid	54 - 2478	ND*	MGK 264 2	321 - 2478	ND*
Carbaryl	54 - 2478	ND*	Myclobutanil	54 - 2478	ND*
Carbofuran	54 - 2478	ND*	Naled	54 - 2478	ND*
Chlorantraniliprole	54 - 2478	ND*	Oxamyl	54 - 2478	ND*
Chlorpyrifos	54 - 2478	ND*	Paclobutrazol	54 - 2478	ND*
Clofentezine	321 - 2478	ND*	Permethrin	321 - 2478	ND*
Diazinon	321 - 2478	ND*	Phosmet	54 - 2478	ND*
Dichlorvos	>321	ND*	Prophos	321 - 2478	ND*
Dimethoate	54 - 2478	ND*	Propoxur	54 - 2478	ND*
E-Fenpyroximate	54 - 2478	ND*	Pyridaben	54 - 2478	ND*
Etofenprox	54 - 2478	ND*	Spinosad A	54 - 2478	ND*
Etoxazole	321 - 2478	ND*	Spinosad D	321 - 2478	ND*
Fenoxycarb	>54	ND*	Spiromesifen	>321	ND*
Fipronil	54 - 2478	ND*	Spirotetramat	>321	ND*
Flonicamid	54 - 2478	ND*	Spiroxamine 1	54 - 2478	ND*
Fludioxonil	>321	ND*	Spiroxamine 2	54 - 2478	ND*
Hexythiazox	54 - 2478	ND*	Tebuconazole	321 - 2478	ND*
Imazalil	321 - 2478	ND*	Thiacloprid	54 - 2478	ND*
Imidacloprid	54 - 2478	ND*	Thiamethoxam	54 - 2478	ND*
Kresoxim-methyl	54 - 2478	ND*	Trifloxystrobin	54 - 2478	ND*

* ND = None Detected (Defined by Dynamic Range of the method)

N/A

FINAL APPROVAL


 Tyler Wiese
 25-Mar-2020
 3:57 PM
 PREPARED BY / DATE


 Greg Zimpfer
 25-Mar-2020
 7:56 PM
 APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.